



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,549	02/24/2004	Stephen Ronald Warburton-Pitt	ON-3843D2	8147
34456	7590	12/02/2004	EXAMINER	
TOLER & LARSON & ABEL L.L.P. 5000 PLAZA ON THE LAKE STE 265 AUSTIN, TX 78746			HEWITT, JAMES M	
			ART UNIT	PAPER NUMBER
			3679	

DATE MAILED: 12/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)
	10/785,549	WARBURTON-PITT ET AL. <i>SL</i>
	Examiner	Art Unit
	James M Hewitt	3679

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

1) Responsive to communication(s) filed on 24 February 2004 and 28 May 2004.

2a) This action is FINAL.                            2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

4) Claim(s) 1-21 is/are pending in the application.

4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.

5) Claim(s) \_\_\_\_\_ is/are allowed.

6) Claim(s) 1-4 is/are rejected.

7) Claim(s) 5-21 is/are objected to.

8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on \_\_\_\_\_ is/are: a) accepted or b) objected to by the Examiner.  
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All    b) Some \* c) None of:  
 1. Certified copies of the priority documents have been received.  
 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

1) Notice of References Cited (PTO-892)  
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  
 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
 Paper No(s)/Mail Date 5/28/04.

4) Interview Summary (PTO-413)  
 Paper No(s)/Mail Date. \_\_\_\_\_.  
 5) Notice of Informal Patent Application (PTO-152)  
 6) Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Information Disclosure Statement***

Note that documents "A.R", "A.S", and "A.T" listed in the IDS filed 5/28/04 have not been considered as the illustrations thereof are not clear.

### ***Specification***

The disclosure is objected to because of the following informalities:

The status of application 09/951,366 should be updated on page 1 of the specification; the phrase ", now abandoned" should be inserted after "September 13, 2001".

Appropriate correction is required.

### ***Claim Objections***

Claims 3 and 5-21 are objected to because of the following informalities:

In claim 3 line 2, "outside" should be inserted before "diameter".

In claim 5 line 6, "the mold" lacks antecedent basis.

In claim 6 line 2, it is unclear as to how the first, second and third rod members relate to the rod portion recited in claim 5.

In claim 13 line 2, it is unclear as to how the silicone piece relates to the three silicone tubes recited in claim 5.

In claim 14 line 3, "diameter" should be "diameters".

In claim 14 line 8, it is unclear as to how the silicone piece relates to the three silicone tubes.

In claim 15 line 3, it is unclear as to which rod portion "the rod portion" is referring.

Appropriate correction is required.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boudewijn et al (US 5,292,305).

Boudewijn et al discloses a double-lumen angioscopy catheter comprising a Y-shaped connector (22) and three tubes (1, 23, 24). Boudewijn et al fails to teach that the connector and tubes are made from silicone. It would have been obvious to one having ordinary skill in the art at the time the invention was made to form the connector and tubes from silicone, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Lehsin*, 125 USPQ 416.

***Allowable Subject Matter***

Claims 5-21 are objected to (see ***Claim Objections*** above), but would be allowable if rewritten to overcome the above-noted objections to claims 5-6 and 13-15..


***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M Hewitt whose telephone number is 703-305-0552. The examiner can normally be reached on M-F, 930am-600pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Stodola can be reached on 703-308-2686. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



JAMES M. HEWITT  
PRIMARY EXAMINER